

KeY Symposium 2009

Integration of external SMT solver in KeY


18.05.2009

by Simon Greiner


Reasons for overworking old integration

- Less coding effort for new integrations
- Easy integration for as many solver types as possible
- Removing some bugs in the old version


Using external solver




Using external solver (options)




The de.uka.ilkd.key.smt package



The AbstractSmtSolver class



The AbstractSmtTranslator class



Some realizations

- **Multisortedness** using type predicates

integer used as only sort

$\backslash exists\ x:s\ p(x) \sim \rightarrow E\ x\ (type_of_s(x) \ \&\ p(x))$

$\backslash forall\ x:s\ p(x) \sim \rightarrow V\ x\ (type_of_s(x) \rightarrow p(x))$

- **if-then-else** for terms

Dummy implementation always supported:

$if\ (phi)\ then\ a\ else\ b \sim \rightarrow$

$c + assumption:$

$if\ (phi)\ then\ (c=a)\ else\ (c=b)$

Adding a Solver to the System

- Add new Solver to
`de.uka.ilkd.key.gui.DecisionProcedureSettings.java` in `readSettings()`
- Extend
`de.uka.ilkd.key.smt.test.AbstractSolverTest`
and add it to the testsuite
- add it to the class `TestBenchmark.java`
- More details in Wiki and javaDoc

Future work

- Further investigations on modeling sorts with type predicates
- Some change requests in the GUI
 - Make created files savable
 - improvements to the usability
- Bit vector support